

AC220V 240V LED COB Lamp Chip Driverless For Flood Light Led Bulb Spotlight

Our Product Introduction


Basic Information

- Place of Origin: SHEN ZHEN CHINA
- Brand Name: Newspectrum
- Model Number: 4060-50W
- Minimum Order Quantity: 100pcs
- Price: Negotiable
- Packaging Details: Antistatic bag, boxes in carton.
- Delivery Time: 3-8 workdays
- Payment Terms: D/A, L/C, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000pcs/m



Product Specification

- Product Name: 50W LED Chip
- Power(W): 50W
- CCT(K): Warm White(3000K), Cool White(6000K)
- Voltage (V): AC 220V-240V
- Board Size: 40*60mm
- Warranty: 2 Years
- Highlight: 240V LED COB Lamp Chip, Driverless LED COB Lamp Chip



More Images



for more products please visit us on cobledchip.com



Product display

5 pcs/lot



6000K

Product Details



Voltage	220V-240V(50~60Hz)			
Power	20W	30W	50W	
Luminous Flux	100 lm/w			
CCT	380-840nm	UV 395nm	3000K	6000K
Application	Plant light	Fishing/Curing light	Plant/Floodlight	Floodlight

Our product advantages

Why heat dissipation faster?

A3:1.6mm high thermal conductivity aluminum material



Ours



Thickness: 1.6mm




Others



Thickness: 1.0mm

Why is it safer ?

A4:More secure with multiple protections



Chips are bigger than others	(1)	Ordinary chip
Mov for surge protection>4000V passed	(2)	Mov for surge protection<1000V passed
1000V bridge rectifier	(3)	500V bridge rectifier
Anti-interference device multiple anti surge protection	(4)	No
Constant current and constant power control	(5)	Unstable output power current
NTC sensor for pcb overheat protection	(6)	No
Can use led dimmer or SCR dimmer to dimming it	(7)	Can't dimming

Why is the quality better ?


A1: There are components that other suppliers don't have



Ours



Others



Don't have

Why is it brighter ?


A2: LED chips 3 times bigger than others




Ours



Others




Product Details



Product size

● 50W



Model	NEW4060	Power	50W
Voltage	AC220-240V(50Hz/60Hz)	CCT	6000K
PF	>0.9	CRI	80
Viewing angle	120°	Lumens	5000lm
Lifespan	50000hrs	Hole diameter	3.5mm
Luminous size	25mm*25mm	Board thickness	1.6mm

Scenario application

