

20W 30W UV LED Module AC COB Driveless For Outdoor Spotlight

Our Product Introduction

for more products please visit us on cobledchip.com


Basic Information

- Place of Origin: Shenzhen
- Brand Name: Newspectrum
- Model Number: NEW4060-50W
- Minimum Order Quantity: 100pcs
- Price: Negotiable
- Packaging Details: Antistatic bag, boxes in carton.
- Delivery Time: 3-8 workdays
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000pcs/m



Product Specification

- Product Name: UV LED Module
- Voltage: AC 220V-240V
- Power: 20W/30W/50W
- CCT: 3000K-6500K
- RA: 70-80
- Luminous Size: 25*25mm
- Highlight: 30W UV LED Module, Driveless UV LED Module, Driveless DOB Led Module



More Images



Product Description

Customize 100 Pcs Min Order LED COB Chip 20W 30W AC COB DIY Flood Light Spotlight Outdoor 220V Led Chip Cob Driveless 50

A UV LED module is a device that contains one or more UV (ultraviolet) light-emitting diodes (LEDs) that generate ultraviolet light. UV LED modules are typically used for various applications that require ultraviolet light, such as curing, disinfection, and sterilization.



LED CHIPS

For in floodlight / grow light chip



Why is the quality better ?

A1: There are components that other suppliers don't have



Ours



Others



Don't have

Why is it brighter ?

A2: LED chips 3 times bigger than others



Ours



Others



5 pcs/lot



3500K

5 pcs/lot



6000K


5 pcs/lot



380-840nm

Are you still worrying these problem?

Short circuit? Burn out? Poor quality?



Don't worry !

Newspectrum LED CHIP

BENEFIT YOUR LIFE



Why heat dissipation faster?

A3:1.6mm high thermal conductivity aluminum material



Ours



Thickness: 1.6mm





Others



Thickness: 1.0mm



Why is it safer ?

A4:More secure with multiple protections



Chips are bigger than others	(1)	Ordinary chip
Mov for surge protection>4000V passed	(2)	Mov for surge protection<1000V passed
1000V bridge rectifier	(3)	500V bridge rectifier
Anti-interference device multiple anti surge protection	(4)	No
Constant current and constant power control	(5)	Unstable output power current
NTC sensor for pcb overheat protection	(6)	No
Can use led dimmer or SCR dimmer to dimming it	(7)	Can't dimming

Product Details




Voltage	220V-240V(50~60Hz)			
Power	20W	30W	50W	
Luminous Flux	100 lm/w			
CCT	380-840nm	UV 395nm	3000K	6000K
Application	Plant light	Fishing/Curing light	Plant/Floodlight	Floodlight

Two-in-one

smart ic fit no driver



Need driver



Smart ic no driver



Shenzhen Colighting Ltd



+86-18926589891



bon@colighting.com



cobledchip.com

3rd Floor of building 1, No.5 of Shijing Industrial Park, Pingkui Road, Pingshan district, Shenzhen, China, 518118