



## Electronic Digital Dimming Cob LED 10V Mini LED Light For Grow Light

#### **Basic Information**

• Place of Origin: China

• Brand Name: newspectrum

• Minimum Order Quantity: 10pcs

Price: Negotiable

• Packaging Details: Antistatic bag,boxes in carton.

• Delivery Time: 5 work day

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

Money Gram

• Supply Ability: 500pcs/day



#### **Product Specification**

Product Name: Dimming Cob LED

Maximum Load Power: 2000W

• Item Type: Scale Knob Dimmer

Input Voltage: DC 0-10VEffective Dimming Signal 40mA

Current:

Model: Big / Small

• Highlight: 10V Dimming Cob LED,

**Electronic Digital Dimming Cob LED** 



#### More Images





#### **Product Description**

### Electronic Potentiometer Knob 0-10V 1-10V Dimmer Controller Switch Digital Mini LED Light Driver Dimmers for Grow Light

#### Parameter:

Item Type: Dimmers Input Voltage: DC 0-10V

Effective dimming signal current : 40mA Dimming range: 0-100% ( Scale knob dimmer )

The max. power: 2000W Model: Big / Small

Wire length: 25.5cm / 26cm

Item Size:50\*30\*25mm / 38\*26\*12mm


Net weight:32g / 26g

Customization: Please contact us

#### Two models (Big and Small), Please choose the size you need!

#### **Technical specifications:**

- 1. This is a passive output, and the power supply needs to have a signal voltage output
- 2. No need to connect to the mains, it can be used for dimming power supply of any input voltage
- 3. Effective dimming signal current: 40mA
- 4. Signal voltage: O-10V
- 5. Dimming range: 0-100% stepless dimming, no flicker, anti-interference!
- 6. Working temperature: -15-50, the triode withstand voltage 180V, can prevent reverse connection and damage the dimmer
- 7. 100% compatible with the driver with standard 0/1-10V as the dimming signal on the market




### LED DIMMING CONTROLLER

0-100% Knob dimming





# Model: Big



# **Model: Small**




### **Features**

### 0-10V no light source regulator


Manually rotate 180° to dimming Compatible with multiple products



### Effective signal modulation current ≤ 40mA



## **Product Size**




### TIPS:

Two models (Big and Small) Please choose the size you need

# **Real Photo**









## Please Leave Us 5 Star Feedback



### We greatly appreciate your 5-star feedback.

We highly appreciate your reviews as they allow us to offer better services to you. Your satisfaction and positive feedback are very important to our business's development.

If you are not satisfied with your purchase, please contact us before leaving neutral or negative feedback or opening a dispute. We will try our best to solve any problems you may have.



Newspectrum® Shenzhen Colighting Ltd



+86-18926589891



bon@colighting.com



© cobledchip.com

3rd Floor of building 1,No.5 of Shijing Industrial Park,Pingkui Road,Pingshan district,Shenzhen,China,518118