

220V UV LED Module Reliable Consistent Cob Led 50w For Rple Light Sterilization

Our Product Introduction

Basic Information


- Place of Origin: Shenzhen China
- Brand Name: newspectrum
- Model Number: NEW 4061
- Minimum Order Quantity: 100pcs
- Price: Negotiable
- Packaging Details: Antistatic bag, boxes in carton.
- Delivery Time: 3-5 workdays
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 100000pcs/day



Product Specification

- Power: 50W
- Working Temperatur: -20°C~60°C
- Application: Purple Light Sterilization
- Board Size: 40mm*61mm
- CRI: 80
- Customized: Please Contact Us
- Highlight: 220V UV LED Module, Reliable Consistent UV LED Module, Reliable Consistent Cob Led 50w

Two wire way



More Images



Voltage	220V-240V(50-60Hz)
Power	50W
Luminous Flux	100 lm/w
CCT	300-600nm UV 395nm 3000K 6000K
Application	Plant light / Farming Lamp / Plant Floodlight / Floodlight

for more products please visit us on cobledchip.com

Product Description

5 pieces/batch, two types of welding intelligent IC without driver 50w COB chip LED 220V UV395nm LED module lamp beads

Specifications

1. Voltage: AC 220V-240V
2. Power: 50W
3. Luminous Flux: 100lm/W
4. CRI: 80
5. Hole size: 3.5mm
6. Board Size: 40mm*61mm
7. Luminous Size: 25mm*25mm
8. Working Temperatur: -20°C~60°C
9. Application: Please contact us

Why Choose Newspectrum?

①: We are a manufacturer, focusing on AC COB 10 years

②: High quality control standards, quality assurance

③: over 10 years OEM + ODM experience


④: Custom products based on customers needs

⑤: Reliable, consistent and timely service



Are you still worrying these problem?

Short circuit? Burn out? Poor quality?



Don't worry !

Newspectrum LED CHIP

BENEFIT YOUR LIFE



Why is the quality better ?

A1: There are components that other suppliers don't have



Ours

Others



Why is it brighter ?

A2: LED chips 3 times bigger than others



Ours

Others



Why heat dissipation faster?

A3: 1.6mm high thermal conductivity aluminum material



Ours



Thickness: 1.6mm




Others



Thickness: 1.0mm


Why is it safer ?

A4: More secure with multiple protections



Chips are bigger than others	(1)	Ordinary chip
Mov for surge protection > 4000V passed	(2)	Mov for surge protection < 1000V passed
1000V bridge rectifier	(3)	500V bridge rectifier
Anti-interference device multiple anti surge protection	(4)	No
Constant current and constant power control	(5)	Unstable output power current
NTC sensor for pcb overheat protection	(6)	No
Can use led dimmer or SCR dimmer to dimming it	(7)	Can't dimming

Real Photo






CERTIFICART


Quality Assurance




Product Details



20W



30W



50W

Voltage	220V-240V(50~60Hz)			
Power	50W			
Luminous Flux	100 lm/w			
CCT	380-840nm	UV 395nm	3000K	6000K
Application	Plant light	Fishing/Curing light	Plant/Floodlight	Floodlight

CUSTOMIZED

Focus on AC/COB 10 Years



*Please contact us

● Brightness ● Colour ● LOGO



Nature White



Warm White



Green



Blue



Golden Yellow



Amber




Pink



Red

Packing



1



2



3




4


Application scenarios



Home lighting




Stadium lighting



Square lighting



Warehouse lighting



Tree lighting



Advertising lighting



newspectrum® Shenzhen Colighting Ltd



+86-18926589891



bon@colighting.com



cobledchip.com

3rd Floor of building 1, No.5 of Shijing Industrial Park, Pingkui Road, Pingshan district, Shenzhen, China, 518118