

LED Hydroponic Plant Light Smd Board Full Spectrum Grow Light

Our Product Introduction

for more products please visit us on cobledchip.com

Basic Information

- Place of Origin: Shenzhen China
- Brand Name: newspectrum
- Minimum Order Quantity: 100pcs
- Price: Negotiable
- Packaging Details: Antistatic bag, boxes in carton.
- Delivery Time: 3-5 workdays
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 500pcs/day

65W



Product Specification

- Working Temperature: -25°C - 65°C
- IP Rating: IP44
- Warranty(Year): 3
- Product Siz: 295*295*2mm
- LED Quantity: 3000K*134pcs+5000K*130pcs+660nm*40pcs
- Product Weight: 0.8kg
- Highlight: LED Hydroponic Plant Light, Smd Board Full Spectrum Grow Light, LED Full Spectrum Grow Light

100W




More Images

QGB-220-100



QGB-220-150



Product Description

AC85V 265V 65W 100W VEG Bloom Switch Greenhouse Hydroponic Plant Lamp Grow light Full Spectrum Grow Light

| | |
|---------------------------------|---------------------------------------|
| Lamp Luminous Efficiency(lm/w): | 130 |
| Color Rendering Index(Ra): | 80 |
| Support Dimmer: | NO |
| Lighting solutions service: | Lighting and circuitry design |
| Lifespan (hours): | 50000 |
| Working Time (hours): | 50000 |
| Product Weight(kg): | 0.8 |
| Application: | Seed Starting, BLOOM, VEG |
| Input Voltage(V): | AC100-265V |
| Lamp Luminous Flux(lm): | 10000 |
| Working Temperature(°C): | -25 - 65 |
| Working Lifetime(Hour): | 50000 |
| Lamp Body Material: | Aluminum |
| IP Rating: | Ip44 |
| Place of Origin: | Guangdong, China |
| Brand Name: | newspectrum |
| Model Number: | 650/1000 |
| Wattage: | 65W, 100W |
| Light Source: | LED |
| Warranty(Year): | 3-Year |
| Luminous Efficacy(μmol/J): | 2.2 |
| LED Quantity: | 3000K*134pcs+5000K*130pcs+660nm*40pcs |
| PPF(±5%): | 1056umol/s @ 30cm Height |
| Product size: | 295*295*2mm |

BEST COLOR RATIO AND LUMINOUS EFFICIENCY

Extend flowering time



Make the plant more colorful



Promote plant growth




Increase fruitage






The best color ratio is more suitable for the vegetative stage and blooming stage of any plant. The effect of different wave length on the different growing stage of plant

● 150W



Samsung LM281B+



High quality aluminum board
better for heat dissipation.



Round lifting ring



Insulating cover



Waterproof rubber stopper


Application

Suitable for all kinds of plants



>>> **For Vegetable**

For Flowers <<<




>>> **For Succulents**

For Fruit <<<




SMD Board LED Grow Light


Increase Color / Prevent Overgrowth / Promote Growth / Increase Production



65W/100W



Samsung LM281B+




QBG-220V-65W



QBG-220V-100W



QBG-220V-150W



QBG-120V-65W





QBG-120V-100W



QBG-120V-150W



CIE chromaticity diagram



Shenzhen Colighting Ltd

+86-18926589891

bon@colighting.com

cobledchip.com

3rd Floor of building 1, No.5 of Shijing Industrial Park, Pingkui Road, Pingshan district, Shenzhen, China, 518118