# Cool White RGB LED Module 30W 220V LED COB Chip Color Temperature 6500K

#### Basic Information

Our Product Introduction

₫

more products please visit us on cobledchip.com

Place of Origin: Shenzhen Ch
Brand Name: newspectrum
Model Number: NEW 4060
Minimum Order Quantity: 100pcs
Price: Negotiable

Packaging Details: Antistatic bag,boxes in carton.

• Delivery Time: 3-5 workdays

• Payment Terms: L/C, D/A, D/P, T/T, Western Union,

MoneyGram

• Supply Ability: 100000pcs/day



#### **Product Specification**

Input Voltage(V): 220V
 CCT: 1400-6500K
 Lamp Luminous Efficiency: 100(lm/w)
 Optical Attenuation(%): 2.2
 Operating Temperature(°C):-20 - 80
 PF: >0.9

Highlight: Cool White RGB LED Module,
 RGB LED Module 30W.

RGB LED Module 30W, Cool White LED COB Chip



#### More Images





#### Product Description

## F6040 LED COB Chip 20W 30W 50W Outdoor led modules Smart IC Chip 220V COB LED Street Light Module 50W LED Chip

1400-6000K Color Temperature(CCT): AC 110V ( ± 10%) 220V ( ± 10%) Input Voltage(V): Warranty(Year): High Power LED Type: Support Dimmer: Lighting solutions service: Lighting and circuitry design Luminous Efficacy(Im/w): 100 Lifespan (hours): 50000 Working Time (hours): 50000 Chip Material: INGAN

COOL WHITE

Emitting Color: COOL Luminous Flux(Im): 5000

# Our Product Introduction

ttenuation(%)

Power: 50W, 20W, 30W

Viewing Angle(°): 120 Color Rendering 80 Index(Ra):

Color Temperature: 1400-6500K
Operating -20 - 80
Temperature(°C):

Place of Origin: Guangdong, China
Brand Name: Newspectrum
Product name: COB LED Chip
PF: >0.9

Power Dissipation: 0.01

Application: floodlight,spotlight,plant grow light

Lamp Luminous 100 Efficiency(lm/w):

#### Are you still worrying these problem?

Short circuit? Burn out? Poor quality?







A3:1.6mm high thermal conductivity aluminum material




## Why is it safer?

A4:More secure with multiple protections




Chips are bigger than others	(1)	Ordinary chip		
Mov for surge protection>4000V passed	(2)	Mov for surge protection<1000V passed		
1000V bridge rectifier	(3)	500V bridge rectifier		
Anti-interference device multiple anti surge protection	(4)	No		
Constant current and constant power control	(5)	Unstable output power curren		
NTC sensor for pcb overheat protection	(6)	No		
Can use led dimmer or SCR dimmer to dimming it	(7)	Can't dimming		

# **Product Details**



Anti-interference device multiple anti surge protection







Voltage	220V-240V(50~60Hz)						
Power	20W	20W 30		W	50W		
_uminous Flux	100 lm/w						
CCT	380-840nm	UV 395nm		3000K	6000K		
Application	Plant light	Fishing/	Curing light	Plant/Floodl	ight Floodlig		





## **Need driver**



# Smart ic no driver



## **Product Features**



High quality light-emitting chip long service life






Durable aluminum substrate provide great heat dissipation effect

Smart IC chip miniaturization intelligent extend product's lifespan









3rd Floor of building 1,No.5 of Shijing Industrial Park,Pingkui Road,Pingshan district,Shenzhen,China,518118